



UNIVERSITY OF WASHINGTON

DEPARTMENT OF

OCEANOGRAPHY

Technical Reports

Nos. 162, 163, 164,

165, 166, and 167

A COMPILATION OF ARTICLES REPORTING RESEARCH
SPONSORED BY THE OFFICE OF NAVAL RESEARCH

Office of Naval Research
Contracts Nonr-477(10)
and Nonr-477(37)
Project NR 083 012

Reference M66-76
December 1966



SEATTLE, WASHINGTON 98105

UNIVERSITY OF WASHINGTON
DEPARTMENT OF OCEANOGRAPHY
Seattle, Washington 98105

Technical Reports

Nos. 162, 163, 164,

165, 166, and 167

A COMPILATION OF ARTICLES REPORTING RESEARCH SPONSORED
BY THE OFFICE OF NAVAL RESEARCH

Office of Naval Research
Contracts Nonr-477(10)
and Nonr-477(37)
Project NR 083 012

Reference M66-76
December 1966



RICHARD H. FLEMING
Chairman

Reproduction in whole or in part is permitted for
any purpose of the United States Government

ARTICLES REPORTING RESEARCH SPONSORED BY THE OFFICE OF NAVAL RESEARCH

Technical Report No. 162

QUASIGEOSTROPHIC FREE OSCILLATIONS IN ENCLOSED BASINS, by Maurice Rattray, Jr. and Robert L. Charnell. Journal of Marine Research, 24(1):82-103. 1966.

Technical Report No. 163

PALAGONITE TUFFS (HYALOCLASTITES) AND THE PRODUCTS OF POST-ERUPTIVE PROCESSES, by Y. Rammohanroy Nayudu. Bulletin Volcanologique, 27:391-410 + 5 plates. 1964.

Technical Report No. 164

CARBONATE DEPOSITS ON PLANTAGENET BANK NEAR BERMUDA, by M. Grant Gross. Geological Society of America Bulletin, 76:1283-1290. 1965.

Technical Report No. 165

DIGGING CHARACTERISTICS AND SAMPLING EFFICIENCY OF THE 0.1 m² VAN VEEN GRAB, by Ulf Lie and Mario M. Pamatmat. Limnology and Oceanography, 10(3):379-384. 1965.

Technical Report No. 166

GRAVITATIONAL CIRCULATION IN STRAITS AND ESTUARIES, by Donald V. Hansen and Maurice Rattray, Jr. Journal of Marine Research, 23(2):104-122. 1965.

Technical Report No. 167

OXYGEN AND CARBON ISOTOPIC COMPOSITION OF LIMESTONES AND DOLOMITES, BIKINI AND ENIWETOK ATOLLS, by M. Grant Gross and Joshua I. Tracy, Jr. Science, 151(3714):1082-1084. 1966.

**Oxygen and Carbon Isotopic Composition of Limestones and
Dolomites, Bikini and Eniwetok Atolls**

M. Grant Gross
Joshua I. Tracey, Jr.

Oxygen and Carbon Isotopic Composition of Limestones and Dolomites, Bikini and Eniwetok Atolls

Abstract. *Aragonitic, unconsolidated sediments from the borings on the Eniwetok and Bikini atolls are isotopically identical with unaltered skeletal fragments, whereas the recrystallized limestones exhibit isotopic variations resulting from alteration in meteoric waters during periods of emergence. Dolomites and associated calcites are enriched in O^{18} , perhaps because of interaction with hypersaline brines.*

The Cenozoic history of Bikini and Eniwetok atolls has been one of slow subsidence—more than 1200 meters since late Eocene time—interrupted by several prolonged periods of emergence during which the atolls stood above the sea as high islands (1, 2). The emergences are inferred from subsurface zones of vuggy, calcite-cemented limestone.

Petrographic evidence indicates that the limestone zones resulted from the partial solution of original skeletal material and the addition of crystalline calcite cement. This alteration of originally unconsolidated sediment to lithified rock is believed to have taken place through the agency of percolating meteoric water. Aragonite in these zones is largely or completely replaced by calcite. The zones of calcite-cemented limestone grade downward to unaltered aragonitic sediments; these zones are truncated and overlain with apparent unconformity by unaltered aragonitic sediments. The aragonitic sediments are considered to represent parts of the section that were not long exposed to meteoric waters. These unconformities, called solution unconformities by Schlanger (2), at depths of 90, 330, and




Fig. 1. Oxygen and carbon isotopic composition of skeletal fragments of the dominant carbonate-secreting organisms. The numbers are sample numbers.

820 meters, were formed in Pleistocene, late Miocene, and early Miocene time. Dolomite occurred below the Miocene solution unconformities at Eniwetok (2); none was detected at Bikini (1).

The interpretation that the solution unconformities developed during periods of emergence is reinforced by the finding of fossil land snails of genera whose living representatives are usually found only on high islands, and of pollen that appears to be more closely related to present floras from high islands than to those from atolls (3).

We determined the oxygen and carbon isotopic composition of samples from the cores and cuttings (4, 5) in order to learn more about the processes causing lithification of carbonates in isolated, mid-ocean atolls, and in order to ascertain whether emergences of the atolls could be verified by the isotopic composition of the recrystallized limestone. The initial isotopic composition of the carbonate sediments was obtained by analysis of selected skeletal fragments of the dominant carbonate-secreting organisms now living in the area, as well as apparently unaltered skeletal fragments from the cores (Table 1 and Fig. 1). The results indicate little difference in the C^{13} and O^{18} contents of the skeletal fragments, except for the mollusks, from either source; no modern mollusks were analyzed.

The isotopic compositions of the recrystallized limestones, the altered skeletal fragments, and the coarsely crystalline calcites from the borings on the two atolls show striking variations in C^{13} content as compared to the unaltered skeletal fragments or to the unconsolidated sediments (Table 2 and Fig. 2). The unconsolidated calcareous

muds (samples 28, 30, 32, 38) are well within the range of isotopic composition of the skeletal fragments and thus support the hypothesis that these aragonitic sediments have not been subjected to meteoric waters long enough to be recrystallized. Most recrystallized limestones (samples 27, 31, 33, 34, 36) show pronounced variations in C^{13} content, similar to those observed in the limestones in the Bermuda Islands (6). These isotopic variations result from the addition to the original sediment of calcite containing carbon derived from the gases of the soil zone ($\delta C^{13} \approx -25$ per mil), and possibly from isotopic exchange between the constituent grains and the interstitial waters when the atolls were emergent.

The variations in the O^{18} content of the recrystallized limestones are less striking, but they too can be explained as a result of solution of original carbonate and subsequent reprecipitation of calcite in meteoric waters. If the coarsely crystalline calcites (samples 29, 37, 41) formed in isotopic equilibrium with interstitial water at approximately $27^\circ C$ (7), the δO^{18} value of the water must have been between -3.5 and -5.0 per mil (8).

A sample of sea water from Rongelap Atoll had a δO^{18} value of 0.0 per mil, whereas samples of meteoric waters (9) had values ranging from -3.8 to -5.8 per mil. These results are not conclusive, but they support the hypothesis that the coarsely crystalline calcites were formed in meteoric waters whose O^{18} contents were not appreciably different from present-day meteoric waters in the region.

The large variations in C^{13} content associated with alteration in meteoric waters are observed only in the samples (Table 2) from the upper portion of the borings on the two atolls. We believe that these variations are the result of the Pleistocene emergences. The variation with depth of the C^{13} content may be associated with the access of the meteoric waters to the limestones. Those samples altered near the surface would have the freest access to solutions that had become equilibrated with soil gases ($\delta C^{13} \approx -25$ per mil) and would therefore have the most negative δC^{13} values. Samples 100 to 200 meters below the surface would be exposed to solutions that had exchanged considerable amounts of carbon with the carbonates through which they passed, with the result that the δC^{13} values of these recrystallized limestones would differ lit-

Table 1. Oxygen and carbon isotopic and mineral composition of major sediment-contributing organisms.

Sample	Description	δO^{18} (per mil)	δC^{13} (per mil)	Calcite (%)	Aragonite (%)	Dolomite (%)
<i>Calcareous algae, Bikini atoll</i>						
1	<i>Lithophyllum</i> sp.	-4.4	-0.2	100	0	0
2	<i>Porolithon craspedium</i>	-4.6	+2.2	100	0	0
3	<i>P. onkodes</i>	-6.0	-1.5	100	0	0
4	<i>Halimeda</i> sp.	-1.9	+2.9	0	100	0
<i>Foraminifera, Ifalik atoll</i>						
5	<i>Calcarina spengleri</i>	-3.3	-2.0	100	0	0
6	<i>Marginopora vertebralis</i>	-2.7	+3.1	100	0	0
7	<i>Baculogypsina</i> sp.	-3.4	-1.5	100	0	0
8	<i>Amphistegina</i> sp.	-3.6	+0.5	100	0	0
<i>Coral, northern Marshall Islands</i>						
9	<i>Acropora digitifera</i>	-4.2	+0.0	0	100	0
10	<i>Seriatopora hystrix</i>	-4.3	-2.0	0	100	0
11	<i>Porites lutea</i>	-5.9	-1.9	Trace	98+	0

Table 2. Oxygen and carbon isotopic and mineral composition of specimens from cores, Bikini and Eniwetok atolls. Trace, tr; crystalline, cryst.; recrystallized, recryst.

Sample	Description	Core No. (1, 2)	Depth (m)	δO^{18} (per mil)	δC^{13} (per mil)	Calcite (%)	Aragonite (%)	Dolomite (%)
<i>Skeletal fragments, Bikini</i>								
12	Pelecypod	(2-1-2)	4.6	-1.6	+0.4	tr	98+	0
13	<i>Halimeda</i> sp.	(2-3-2)	16.8	-2.0	+2.9	3	97	0
14	Pelecypod	(2-11-1)	54.9	-1.2	+3.1	3	97	0
15	Pelecypod	(2A-20-1)	83.8	-0.4	+2.2	tr	98+	0
16	<i>Porites</i> sp.	(2A-32-1a)	193.5	-5.4	+0.2	3	97	0
17	Gastropod	(2A-36)	281.9	-1.3	+4.1	3	97	0
18	Mollusk	(2A-36-2)	281.9	-1.4	+4.1	0	100	0
19*	Pelecypod	(2A-1082)	329.8	-2.2	+2.4	0	100	0
20*	Pelecypod	(2A-1032)	329.8	-2.1	+2.4	0	100	0
<i>Skeletal fragments, Eniwetok</i>								
21	Coral	(R-1-17)	0.9	-4.5	+0.7	0	100	0
22	<i>Lithophyllum</i> sp.	(R-1-24)	1.2	-0.9	+3.2	100	0	0
23	<i>Tridacna</i> sp.	(MU-7-3a)	4.6	-0.9	+3.0	0	100	0
24	<i>Halimeda</i> sp.	(RU-2-3)	9.8	-2.2	+2.1	20	80	0
25*	Mollusk	(F-1-830-840)	253-256	-1.5	+3.4	0	100	0
26*	Coral	(F-1-830-840)	253-256	-4.4	+0.2	0	100	0
<i>Limestone and matrix mud, Bikini</i>								
27	Brown laminated limestone	(2-2-10)	15.2	-5.5	-10.0	100	0	0
28	Unconsolidated matrix mud	(2-3-2)	16.8	-3.9	-0.8	30	70	0
29	Coarsely cryst. calcite	(3-10-13)	25.0	-7.5	-10.0	100	0	0
30	Unconsolidated matrix mud	(2-7-3)	38.1	-5.2	-0.4	40	60	0
31	Recryst. limestone	(2-11-16)	56.4	-6.1	-6.7	100	0	0
32	Unconsolidated matrix mud	(2A-12-5)	59.4	-4.5	-1.1	40	60	0
33	Recryst. limestone	(2A-19-3)	82.3	-6.2	-7.8	100	0	0
34	Recryst. limestone	(2A-24-1)	95.1	-6.2	-6.1	95	5	0
35	Coral cast	(2A-26-8)	100.6	-5.4	-4.9	70	30	0
36	Chalky recryst. limestone	(2A-28-15)	135.6	-4.9	-2.7	100	0	0
37	Coarsely cryst. calcite	(2A-32-1b)	193.5	-6.3	-5.5	95+	tr	0
38	Unconsolidated matrix mud	(2A-37-15)	286.5	-4.2	-0.8	25	75	0
39*	Brown recryst. limestone	(2A-1135)	345.9	-5.1	-0.7	100	0	0
<i>Limestone and dolomite, Eniwetok</i>								
40	Recryst. limestone	(K-1-253-258)	77.0-78.5	-5.9	-7.3	100	0	0
41	Coarsely cryst. calcite	(F-1-2-6)	183-190	-6.0	-7.3	100	0	0
42	Gastropod cast	(F-1-2-10)	183-190	-5.4	-2.7	100	0	0
43	Recryst. limestone	(F-1-3-17)	375-380	-2.7	-1.8	100	0	0
44	Recryst. limestone	(F-1-3-26)	375-380	-1.9	-0.2	100	0	0
45	Recryst. limestone	(F-1-6-21)	811-819	-0.8	-1.9	98+	0	tr(?)
46	Dolomite, calcitic	(F-1-12-7)	1315-1323	+1.1	+1.2	tr	0	98+
47†	Dolomitic limestone	(F-1-12-12)	1315-1323			55	0	45
47a	Calcite			0.0	+1.2			
47b	Dolomite, coexisting with calcite (No. 47a)			+2.9	+2.1			

* Indicates sample from cuttings. † Data from Schlanger (2, p. 1005).

tle from those of the unaltered carbonate sediments. An alternate explanation is that the deeper samples were altered during earlier Pleistocene emergences, and thus have had more time than the younger samples nearer the surface to approach isotopic equilibrium through reequilibration or recrystallization in the sea water that permeates the atolls (7).

With one exception, the samples of the limestones and dolomites affected by the postulated Miocene emergences are from Eniwetok. The one sample from Bikini (sample 39) associated with a Miocene solution unconformity retains no isotopic record of the alteration in meteoric water, which has been postulated to explain its petrographic character (1). The same is true of the recrystallized limestones from the Eniwetok borings (samples 43, 44, 45), but

these contained small amounts of dolomite. Thus the isotopic variations of these recrystallized limestones from the deeper parts of the borings are distinctly different from those in the upper portion of the borings affected by Pleistocene emergence.

Dolomite (samples 46, 47b) and associated calcite (sample 47a) from the core are enriched in O^{18} (Fig. 2). These data are consistent with the hypothesis (5, 10) that dolomitization results from the reaction of carbonate sediment with hypersaline brines. Such hypersaline brines formed by the evaporation of sea water should also be enriched in O^{18} , and would result in the enrichment of O^{18} in the sediments with which they reacted. Perhaps this also accounts for the isotopic composition of the deeper recrystallized limestones

(samples 43, 44, 45) from Eniwetok, which may also have been exposed to meteoric waters at some time in their history.

The coexisting dolomite and calcite exhibit an apparent fractionation (11) in δO^{18} of 3.7 per mil. These data are in reasonable agreement with the observed fractionation (corrected for differential acid fractionation) of 2.2 to 2.9 per mil between dolomite and coexisting carbonate sediment on Plantagenet Bank near the Bermuda Islands (12).

M. GRANT GROSS

Department of Oceanography,
University of Washington, Seattle

JOSHUA I. TRACEY, JR.

U. S. Geological Survey,
Washington, D.C.




Fig. 2. Oxygen and carbon isotopic composition of carbonate cuttings and cores from the drill holes. The numbers are sample numbers.

References and Notes

1. K. O. Emery, J. I. Tracey, Jr., H. S. Ladd, *U.S. Geol. Surv. Profess. Papers 260-A* (1954), pp. 1-259.
2. S. O. Schlanger, Ed., *U.S. Geol. Surv. Profess. Papers 260-BB* (1963), pp. 991-1066.
3. H. S. Ladd and J. I. Tracey, Jr., *Deep-Sea Res.* 4, 218 (1957).
4. Sediment samples were treated with phosphoric acid, and the CO_2 obtained was analyzed by mass spectrometer as described by J. M. McCrea, *J. Phys. Chem.* 18, 849 (1950). Water samples were analyzed by the technique described by S. Epstein and T. Mayeda, *Geochim. Cosmochim. Acta* 4, 213 (1953). The δO^{18} and δC^{13} values are relative to the PDB Chicago (Belemnite) standard; $\delta = [(R_{sample}/R_{standard}) - 1] 10^3$, where R is the ratio of the heavy to light isotopes of either oxygen or carbon. The standard deviation of the analyses is 0.16 per mil in δO^{18} and 0.15 per mil in δC^{13} . The δO^{18} values for dolomite have been corrected for the differential acid fractionation of 0.8 per mil; see 5.
5. R. A. Berner, *Science* 147, 1297 (1965).
6. M. G. Gross, *J. Geol.* 72, 170 (1964).
7. J. H. Swartz, *U.S. Geol. Surv. Profess. Papers 260-U* (1958), pp. 711-739.
8. S. Epstein, R. Buchsbaum, H. A. Lowenstam, H. C. Urey, *Geol. Soc. Am. Bull.* 64, 1315 (1953).
9. Water samples, collected September 1961, were supplied by Dr. E. E. Held, Laboratory of Radiation Biology, University of Washington.
10. N. D. Newell, J. K. Rigby, A. G. Fisher, A. J. Whiteman, J. E. Hickox, J. S. Bradley, *The Permian Reef Complex of the Guadalupe Mountains Region, Texas and New Mexico—A Study in Paleogeology* (Freeman, San Francisco, 1953); J. E. Adams and M. L. Rhodes, *Bull. Am. Assoc. Petrol. Geologists* 44, 1912 (1960); K. S. Deffeyes, F. J. Lucia, P. K. Weyl, *Science* 143, 678 (1964).
11. In order to show that the apparent fractionation represents a true isotopic equilibrium fractionation, we would need to demonstrate that the two mineral species were formed at the same temperature in isotopic equilibrium with the same water having a constant O^{18} content. The available data do not permit this. Consequently we refer to the observed value as an apparent isotopic fractionation.
12. M. G. Gross, *Geol. Soc. Am. Bull.* 76, 1283 (1965).
13. Supported by ONR contracts 477(10) and 477(37) project NR 083 012, and by the NSF (predoctoral fellowship to M.G.G. at the California Institute of Technology). We thank S. O. Schlanger, I. Friedman, R. A. Berner, P. K. Weyl, H. S. Ladd, and K. S. Deffeyes for comments on the manuscript, and S. Epstein for laboratory facilities. Contribution No. 380, Dept. of Oceanography, Univ. of Washington, Seattle.

18 November 1965

UNCLASSIFIED TECHNICAL REPORTS DISTRIBUTION LIST
for OCEANOGRAPHIC CONTRACTORS
of the OCEAN SCIENCE AND TECHNOLOGY GROUP
of the OFFICE OF NAVAL RESEARCH
(Revised November 1966)

DEPARTMENT OF DEFENSE

Director of Defense Research
and Engineering
Office of the Secretary of Defense
Washington, D.C. 20301
1 Attn: Office, Assistant Director
(Research)

Navy

2 Office of Naval Research
Ocean Science and Technology Group
(Code 408-P)
Department of the Navy
Washington, D.C. 20360
1 Attn: Surface Branch (Code 463)
1 Attn: Undersea Programs (Code 446)
1 Attn: Field Projects (Code 418)
1 Attn: Geography Branch (Code 414)

1 Commanding Officer
Office of Naval Research Branch Office
495 Summer Street
Boston, Massachusetts 02110

1 Commanding Officer
Office of Naval Research Area Office
207 West 24th Street
New York, New York 10011

1 Commanding Officer
Office of Naval Research Branch Office
219 South Dearborn Street
Chicago, Illinois 60604

1 Commanding Officer
Office of Naval Research Branch Office
1030 East Green Street
Pasadena, California 91101

1 Commanding Officer
Office of Naval Research Area Office
1076 Mission Street
San Francisco, California 94103

5 Commanding Officer
Office of Naval Research Branch Office
Box 39, Fleet Post Office
New York, New York 09510

6 Director
Naval Research Laboratory
Washington, D.C. 20390
Attn: Code 5500

(Note: 3 copies are forwarded by the
above addressee to the British Joint
Services Staff for further distri-
bution in England and Canada).

2 Commander
U.S. Naval Oceanographic Office
Washington, D.C. 20390
Attn: Library (Code 1640)

Chief, Bureau of Naval Weapons
Department of the Navy
Washington, D.C. 20360
1 Attn: FASS
1 Attn: RU-222

1 Office of the U.S. Naval Weather
Service, Washington Navy Yard
Washington, D.C. 20390

1 Chief, Bureau of Yards and Docks
Office of Research
Department of the Navy
Washington, D.C. 20390
Attn: Code 70

U.S. Navy Electronics Laboratory
San Diego, California 92152
1 Attn: Code 3102
1 Attn: Code 3060C

1 Commanding Officer and Director
U.S. Naval Civil Engineering Laboratory
Port Hueneme, California 93401

1	Commanding Officer Pacific Missile Range Pt. Mugu, California 93041	2	Department of Meteorology & Oceanography U.S. Naval Postgraduate School Monterey, California 93940
1	Commander, Naval Ordnance Laboratory White Oak Silver Spring, Maryland 20910	1	Commanding Officer U.S. Naval Underwater Sound Laboratory New London, Connecticut 06321
1	Commanding Officer Naval Ordnance Test Station China Lake, California 93557	1	Commanding Officer U.S. Navy Mine Defense Laboratory Panama City, Florida 32402
1	Commanding Officer Naval Radiological Defense Laboratory San Francisco, California 94135	1	Officer-in-Charge U.S. Fleet Numerical Weather Facility U.S. Naval Postgraduate School Monterey, California 93940
1	Commanding Officer U.S. Naval Underwater Ordnance Station Newport, Rhode Island 02844		
	Chief, Bureau of Ships Department of the Navy Washington, D.C. 20360		
1	Attn: Code 1622B		
1	Officer-in-Charge U.S. Navy Weather Research Facility Naval Air Station, Bldg. R-48 Norfolk, Virginia 23511		
			<u>Air Force</u>
		1	Headquarters, Air Weather Service (AWSS/TIPD) U.S. Air Force Scott Air Force Base, Illinois 62225
1	Commanding Officer U.S. Navy Air Development Center Johnstown, Pennsylvania 159 Attn: NADC Library	1	ARCRL (CRZF) L. G. Hanscom Field Bedford, Massachusetts 01730
1	U.S. Fleet Weather Central Joint Typhoon Warning Center COMNAVMARIANAS Box 12 San Francisco, California 942		
			<u>Army</u>
1	Pacific Support Group Naval Oceanographic Office San Diego, California 92152	1	Coastal Engineering Research Center Corps of Engineers Department of the Army Washington, D.C. 20310
1	Superintendent U.S. Naval Academy Annapolis, Maryland 21402	1	Army Research Office Office of the Chief of R&D Department of the Army Washington, D.C. 20310
		1	U.S. Army Beach Erosion Board 5201 Little Falls Road, N.W. Washington, D.C. 20016

OTHER GOVERNMENT AGENCIES

20	Défense Documentation Center Cameron Station Alexandria, Virginia 20305	1	U.S. ESSA Geophysical Sciences Library (AD 712) Washington Science Center Rockville, Maryland 20852
2	National Research Council 2101 Constitution Avenue, N.W. Washington, D.C. 20418 Attn: Committee on Undersea Warfare Attn: Committee on Oceanography	1	Chief, Office of Mar. Geol. & Hydrol. U.S. Geological Survey Menlo Park, California 94025
1	Laboratory Director California Current Resources Laboratory Bureau of Commercial Fisheries P.O. Box 271 La Jolla, California 92037	1	Director Pacific Marine Center Coast and Geodetic Survey - U.S. ESSA 1801 Fairview Avenue, East Seattle, Washington 98102
1	Commanding Officer Coast Guard Oceanographic Unit Bldg. 159, Navy Yard Annex Washington, D.C. 20390	1	Geological Division Marine Geology Unit U.S. Geological Survey Washington, D.C. 20240
1	Director Coast and Geodetic Survey - U.S. ESSA Attn: Office of Hydrography and Oceanography Washington Science Center Rockville, Maryland 20852	1	Director U.S. Army Engineers Waterways Experiment Station Vicksburg, Mississippi 49097 Attn: Research Center Library
1	Chief, Publications Branch (AD 72) Office of Scientific Information and Documentation Division U.S. ESSA Washington Science Center Rockville, Maryland 20852	1	Laboratory Director Bureau of Commercial Fisheries Biological Laboratory 450-B Jordon Hall Stanford, California 94035
1	Director Atlantic Marine Center Coast and Geodetic Survey - U.S. ESSA 439 West York Street Norfolk, Virginia 23510	1	Bureau of Commercial Fisheries U.S. Fish and Wildlife Service P.O. Box 3830 Honolulu, Hawaii 96812
1	Director Institute for Oceanography U.S. ESSA Gramax Building Silver Spring, Maryland 20910	1	Laboratory Director Biological Laboratory Bureau of Commercial Fisheries P.O. Box 3098, Fort Crockett Galveston, Texas 77552
		1	Laboratory Director Biological Laboratory Bureau of Commercial Fisheries P.O. Box 1155 Juneau, Alaska 99801

- 1 Laboratory Director
Biological Laboratory
Bureau of Commercial Fisheries
P.O. Box 6
Woods Hole, Massachusetts 02543
- 1 Laboratory Director
Biological Laboratory
Bureau of Commercial Fisheries
P.O. Box 280
Brunswick, Georgia 31521
- 1 Laboratory Director
Tuna Resources Laboratory
Bureau of Commercial Fisheries
P.O. Box 271
La Jolla, California 92037
- 1 Bureau of Commercial Fisheries &
Wildlife
U.S. Fish and Wildlife Service
Librarian
Sandy Hook Marine Laboratory
P.O. Box 428
Highlands, New Jersey 07732
- 1 Laboratory Director
Biological Laboratory
Bureau of Commercial Fisheries
#75 Virginia Beach Drive
Miami, Florida 33149
- 1 Director, Bureau of Commercial
Fisheries
U.S. Fish and Wildlife Service
Department of Interior
Washington, D.C. 20240
- 1 Bureau of Commercial Fisheries
Biological Laboratory, Oceanography
2725 Montlake Boulevard, East
Seattle, Washington 98102
- 1 Director
National Oceanographic Data Center
Washington, D.C. 20390
- 1 Dr. Gene A. Rusnak
U.S. Geological Survey
Marine Geology and Hydrology
345 Middlefield Road
Menlo Park, California 94025

- 1 Assistant Director
Oceanography Museum of Natural
History
Smithsonian Institution
Washington, D.C. 20560
- 1 Bingham Oceanographic Laboratories
Yale University
New Haven, Connecticut 06520
- 1 Advanced Research Projects Agency
The Pentagon
Washington, D.C. 20310
Attn: Nuclear Test Detection Office

RESEARCH LABORATORIES

- 2 Director
Woods Hole Oceanographic Institution
Woods Hole, Massachusetts 02543
- 1 Director
Narragansett Marine Laboratory
University of Rhode Island
Kingston, Rhode Island 02881
- 1 Gulf Coast Research Laboratory
Ocean Springs, Mississippi 39564
Attn: Librarian
- 1 Chairman, Department of
Meteorology and Oceanography
New York University
New York, New York 10453
- 1 Director
Lamont Geological Observatory
Columbia University
Palisades, New York 10964
- 1 Director
Hudson Laboratories
145 Palisade Street
Dobbs Ferry, New York 10522
- 1 Great Lakes Research Division
Institute of Science & Technology
University of Michigan
Ann Arbor, Michigan 48105

- | | | | |
|---|---|---|---|
| 1 | Director
Chesapeake Bay Institute
Johns Hopkins University
Baltimore, Maryland 21218 | 1 | Department of Engineering
University of California
Berkeley, California 94720 |
| 1 | Director, Marine Laboratory
University of Miami
#1 Rickenbacker Causeway
Miami, Florida 33149 | 1 | Applied Physics Laboratory
University of Washington
1013 N.E. Fortieth Street
Seattle, Washington 98105 |
| 2 | Head, Department of Oceanography
and Meteorology
Texas A&M University
College Station, Texas 77843 | 1 | Physical Oceanographic Laboratory
Nova University
1786 S.E. Fifteenth Avenue
Fort Lauderdale, Florida 33316 |
| 1 | Director
Scripps Institution of Oceanography
La Jolla, California 92037 | 1 | Director
Ocean Research Institute
University of Tokyo
Tokyo, Japan |
| 1 | Allan Hancock Foundation
University Park
Los Angeles, California 90007 | 1 | Marine Biological Association
of the United Kingdom
The Laboratory
Citadel Hill
Plymouth, England |
| 1 | Head, Department of Oceanography
Oregon State University
Corvallis, Oregon 97331 | 1 | New Zealand Oceanographic Institute
Department of Scientific and
Industrial Research
P.O. Box 8009
Wellington, New Zealand
Attn: Librarian |
| 1 | Director, Arctic Research Laboratory
P. Barrow, Alaska 99723 | 1 | Serials Department
University of Illinois Library
Urbana, Illinois 61801 |
| 1 | Head, Department of Oceanography
University of Washington
Seattle, Washington 98105 | 1 | Mr. J. A. Gast
Wildlife Building
Humboldt State College
Arcata, California 95521 |
| 1 | Geophysical Institute of the
University of Alaska
College, Alaska 99735 | 1 | Department of Geodesy & Geophysics
Cambridge University
Cambridge, England |
| 1 | Director
Bermuda Biological Station
for Research
St. Georges, Bermuda | 1 | Institute of Geophysics
University of Hawaii
Honolulu, Hawaii 96825 |
| 1 | Director, Hawaiian Marine Laboratory
University of Hawaii
Honolulu, Hawaii 96825 | | |
| 1 | President
Osservatorio Geofisico Sperimentale
Trieste, Italy | | |

- | | | | |
|---|--|---|---|
| 1 | Division of Engineering and Applied Physics
Harvard University
Cambridge, Massachusetts 02138 | 1 | Marine Science Center
Lehigh University
Bethlehem, Pennsylvania 18015 |
| 1 | Underwater Warfare Division
of the Norwegian Defense Research Establishment
Karljohansvern, Horten, Norway | 1 | Lieutenant Nestor C. L. Granelli
Montevideo 459
Buenos Aires, Argentina |
| 1 | Department of Geology and Geophysics
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139 | 1 | Oceanographische Forschungsanstalt
der Bundeswehr
Lornsenstrasse 7
Kiel, Federal Republic of Germany |

ADDENDUM

To The

UNCLASSIFIED TECHNICAL REPORTS DISTRIBUTION LIST
for OCEANOGRAPHIC CONTRACTORS
of the OCEAN SCIENCE AND TECHNOLOGY GROUP
of the OFFICE OF NAVAL RESEARCH
(Revised November 1966)

DEPARTMENT OF DEFENSE

Navy

1	Commander U.S. Naval Oceanographic Office Washington, D.C. 20390	1	U.S. Naval Oceanographic Office Liaison Officer Anti-Submarine Warfare Force Pacific Fleet Post Office San Francisco, California 96610
1	Attn: Code 031	1	Commander-in-Chief Submarine Force Pacific Fleet Fleet Post Office San Francisco, California 96610
1	Attn: Code 70		
1	Attn: Code 90		
1	West Coast Support Group U.S. Naval Oceanographic Office c/o U.S. Navy Electronics Laboratory San Diego, California 92152	1	Commander-in-Chief Pacific Fleet Fleet Post Office San Francisco, California 96610
1	U.S. Naval Oceanographic Office Liaison Officer (Code 332) Anti-Submarine Warfare Force U.S. Atlantic Fleet Norfolk, Virginia 23511		