



Readiness Cascades (PHC_HC+)


Readiness Elements – Pentavalent vaccine (DPT–HepB–Hib)




Readiness Elements – BCG vaccine




Readiness Elements – MMR vaccine




Readiness Elements – Polio vaccine (Oral|IPV)




Readiness Elements – Pneumococcal vaccine




Readiness Elements – Rotavirus vaccine




Readiness Elements – HIV treatment, ART first-line (no TB)




Readiness Elements – Voluntary medical male circumcision service in settings with high prevalence of HIV




Readiness Elements – TB preventive therapy.(Isoniazide) for high risk people (e.g. PLHIV)




Readiness Elements – Management of drug susceptible pulmonary TB




Readiness Elements – Management of drug susceptible extrapulmonary TB




Readiness Elements – Intermittent malaria prevention in infancy




Readiness Elements – Intermittent malaria prevention during pregnancy




Readiness Elements – Treatment of uncomplicated malaria




Readiness Elements – Management of acute hepatitis A in children




Readiness Elements – Management of acute hepatitis A in adults




Readiness Elements – Pneumonia, oral antibiotics




Readiness Elements – Pneumonia (severe), IV antibiotics




Readiness Elements – Pneumonia, oral antibiotics Adults




Readiness Elements – Pneumonia (severe), IV antibiotics adults




Readiness Elements – Treatment of acute diarrhea in adults




Readiness Elements – Treatment of acute diarrhea in children




Readiness Elements – Treatment of acute diarrhea in children




Readiness Elements – Treatment of typhoid and paratyphoid in children




Readiness Elements – Treatment of typhoid and paratyphoid in adults




Readiness Elements – Treatment of syphilis




Readiness Elements – Treatment of gonorrhoea




Readiness Elements – Treatment of chlamydia




Readiness Elements – Treatment of trichomoniasis




Readiness Elements – Treatment of urinary tract infection




Readiness Elements – Treatment of upper respiratory tract infections. and ear infections and complications




Readiness Elements – Treatment of measles: including Vitamin A to children 6 to 59 months




Readiness Elements – Fever evaluation, basic




Readiness Elements – Prehospital triage and stabilization, with referral




Readiness Elements – basic analgesics and antipyretics




Readiness Elements – Pain management




Readiness Elements – Drainage of superficial abscess




Readiness Elements – Suturing laceration




Readiness Elements – Management of upper extremity fractures




Readiness Elements – Management of lower extremity injuries




Readiness Elements – Treatment of acute pharyngitis in children




Readiness Elements – Inhalators, steroids, theophylline




Readiness Elements – Inhalators|anticholinerg agent|Smoking cessation




Readiness Elements – Diabetes opportunistic screening




Readiness Elements – tests and Insulin




Readiness Elements – Diabetes opportunistic screening




Readiness Elements – Antidiabetic drugs and insulin




Readiness Elements – Basic management of migraine




Readiness Elements – Treatment of acute malnutrition




Readiness Elements – at least two methods available




Readiness Elements – Uneventful pregnancy




Readiness Elements – Prevention of mother to child HIV transmission (PMTCT, option B+) and syphilis




Readiness Elements – Safe delivery




Readiness Elements – Safe delivery




Readiness Elements – Safe delivery




Readiness Elements – Management of maternal sepsis




Readiness Elements – Counselling on family planning and contraception




Readiness Elements – Treatment of lactational mastitis.



Readiness Elements – Treatment of local infections (eye, skin)




Readiness Elements – Hygienic cord care (chlorhexidine and tetracycline ointment)




Readiness Cascades_RCH+


Readiness Elements – Management of opportunistic infections associated with HIV/AIDS




Readiness Elements – Comprehensive treatment of severe malaria




Readiness Elements – Comprehensive treatment of severe malaria




Readiness Elements – Treatment of PID (Pelvic Inflammatory Disease)




Readiness Elements – Pneumonia (severe), IV antibiotics




Readiness Elements – Pneumonia (severe), IV antibiotics adults




Readiness Elements – Initial management of sepsis




Readiness Elements – Fever evaluation, basic




Readiness Elements – Basic life support and first aid for burns, bleeding and wounds and choking




Readiness Elements – Resuscitation with advanced life support measures




Readiness Elements – IV morphine




Readiness Elements – Other palliative needs




Readiness Elements – Treatment of severe acute malnutrition




Readiness Elements – Management of upper extremity fractures




Readiness Elements – Management of lower extremity injuries




Readiness Elements – CVD targeted screening at facility & Primary CVD prevention optimal – absolute CVD risk > 10%




Readiness Elements – IHD basic: Aspirin for all cases of high-risk chest pain




Readiness Elements – aspirin, beta blockers, ACE inhibitors, ARB, statins




Readiness Elements – Management of chronic heart failure with diuretics, beta-blockers, ACE inhibitors, and mineralo




Readiness Elements – RHD secondary prevention




Readiness Elements – Secondary prevention of peripheral vascular disease (aspirin, beta blockers, ACE inhibitors, AR




Readiness Elements – Secondary prevention of ischemic | hemorrhagic stroke stroke (aspirin, beta blockers, ACE inhib




Readiness Elements – Treatment of acute exacerbation of asthma (Severe)




Readiness Elements – Treatment of acute exacerbation of asthma (Moderate)




Readiness Elements – Treatment of acute exacerbation of COPD (Severe)




Readiness Elements – Management of acute exacerbation of COPD (Moderate)




Readiness Elements – Treatment of acute hypoglycaemia




Readiness Elements – Treatment of acute hyperglycaemia




Readiness Elements – Management of anxiety disorders




Readiness Elements – Management of depression




Readiness Elements – Management of psychotic disorders




Readiness Elements – Bipolar disorders




Readiness Elements – Basic management of epilepsy




Readiness Elements – Basic management of epilepsy




Readiness Elements – Management of non-responders with migraine




Readiness Elements – Management of FGM




Readiness Elements – Management of hyperglycemia in pregnancy




Readiness Elements – Detection of growth restricted fetuses and fetal anomalies




Readiness Elements – Management of pregnancy-related hypertension




Readiness Elements – Management of preterm delivery




Readiness Elements – Management of preterm delivery




Readiness Elements – Induction of labour




Readiness Elements – Management of postpartum haemorrhage



Readiness Elements – Treatment of postpartum mental disorders




Readiness Elements – Early detection and treatment of neonatal sepsis and pneumonia




Readiness Cascades_DH++


Readiness Elements – Treatment of brain abscess and encephalitis




Readiness Elements – Treatment of meningitis, children




Readiness Elements – Treatment of meningitis, adults




Readiness Elements – Management of septic arthritis




Readiness Elements – Basic skin grafting




Readiness Elements – Trauma laparotomy and Tube thoracostomy




Readiness Elements – Acute intracranial pressure relief




Readiness Elements – Treatment of acute coronary syndromes




Readiness Elements – Management of acute heart failure with diuretics, oxygen, afterload reduction, medication optimi




Readiness Elements – Management of appendicitis




Readiness Elements – General management of ileus and intestinal obstruction




Readiness Elements – Surgical procedures for bowel obstruction




Readiness Elements – Management of hernias (inguinal, femoral, abdominal)




Readiness Elements – Removal of gallbladder.




Readiness Elements – Repair of ulcer perforations in GI system




Readiness Elements – Repair of ileal perforation due to typhoid




Readiness Elements – Surgery of anorectal malformations




Readiness Elements – Surgical repair for congenital talipes




Readiness Elements – Surgical repair of cleft lip and/or cleft palate




Readiness Elements – Female sterilization.




Readiness Elements – Dilatation and evacuation




Readiness Elements – Oral prostaglandins and progesterone receptor antagonists for abortion




Readiness Elements – Removal of retained products following miscarriage, incomplete abortion or conception




Readiness Elements – Management of post abortion complications (sepsis, lacerations)



Readiness Elements – Safe delivery



Readiness Elements – Management of postpartum haemorrhage



Readiness Elements – Management of postpartum haemorrhage

