

Table S1: Mean Difference in Non-Depression Outcome Measures at 6 and 12 Months Between Depression Responders and Non-Responders Across 6 Different Depression Response Metrics at 3 Months

		6-month outcomes (n=796)				12-month outcomes (n=701)			
		GH	SR	QOL	SD	GH	SR	QOL	SD
1	≥ 50% decrease from baseline	-0.119	0.124	0.801***	-1.85**	-0.181*	0.191	0.582**	-1.82**
2	Absolute decrease of ≥ 5	-0.101	0.307**	0.719***	-1.53*	-0.0805	0.257*	0.556**	-1.63*
3	Score of <10	-0.101	0.0420	0.899***	-0.769	-0.117	0.117	0.607**	-0.910
4	≥ 50% decrease from baseline OR score of <10	-0.109	0.0550	0.895***	-1.12	-0.108	0.126	0.571**	-1.15
5	>= 50% decrease from baseline AND score of <10	-0.115	0.115	0.820***	-1.60*	-0.189*	0.185	0.618***	-1.66*
6	Absolute decrease of ≥5 AND score <10	-0.111	0.207*	0.872***	-1.82**	-0.152*	0.207*	0.662***	-1.77**
7	Absolute decrease of ≥10	-0.910	0.255*	0.753***	-2.50***	-0.246**	0.213*	0.610**	-2.71***
8	≥50% decrease from baseline & absolute decrease of ≥5	-0.114	0.204*	0.829***	-1.90**	-0.144*	0.247*	0.604***	-1.78**
9	Score of <5	-0.0559	0.0531	0.607***	-1.79**	-0.164*	0.251*	0.623***	-1.13
Mean		-0.193	0.151	0.799	-1.65	-0.154	0.199	0.604	-1.62

p<0.05 (*); p<0.01 (**); p<0.001 (***)

GH - General Health; SR - Strengths & Resources; QOL - Quality of Life; SD - Sheehan Disability

Green - > mean score; Yellow - At mean score; Red - < mean score

Table S2: F-Tests for Pair-Wise Tests for Equivalence in 6-Month Mean Differences in Outcomes for All Combinations of Unidimensional PHQ-9 Depression “Response” Metrics

	Score of <5				Absolute decrease of ≥ 5				Score of <10				Absolute decrease of ≥10			
	GH	SR	QOL	SD	GH	SR	QOL	SD	GH	SR	QOL	SD	GH	SR	QOL	SD
≥ 50% decrease from baseline	0.599	4.03*	0.661	2.88	2.58	0.359	5.58*	3.06	1.92	0.952	0.151	1.15	0.019	0.331	3.56	0.280
Score of <5					1.59	0.014	1.73	11.7***	3.90*	0.337	0.100	10.3**	0.038	1.54	2.23	0.572
Absolute decrease of ≥ 5									1.13	1.30	0.434	1.23	1.68	1.87	0.036	4.16*
Score of <10													1.98	2.60	0.804	4.44*

p<0.05 (*); p<0.01 (**); p<0.001 (***)

GH - Change in mean general health score (Health Information National Trends Survey - HINTS) question # 1 from baseline to 6 months (scored on a scale of 1-5 with 1 being excellent) - question asks: "In general, would you say your health is:" Excellent, Very Good, Good, Fair, Poor, Don't know, Refuse.

SR - Change in mean Strengths and Resources question # C1 from IMPACT trial follow-up questionnaire from baseline to 6 months (scored on a scale of 0-4) - question asks: "Over the past two weeks, how often have you made an effort to keep in touch with relatives or friends?" - Not at all, Occasionally, Sometimes, Fairly Often, Very Often, Don't know, Refuse.

QOL - Change in mean Quality of Life question # E9 from IMPACT trial follow-up questionnaire from baseline to 6 months (scored on a continuous scale of 1-10) - question asks: "Choose the level that best describes your quality of life during the past month" - 0 (Death) to 10 (Perfect).

SD - Change in mean composite Sheehan Disability Items (questions E17 - E19 from IMPACT trial follow-up questionnaire) from baseline to 6 months (each of the three items is scored on a continuous scale of 1-10 (where 0 is "not at all" and 10 is "unable to carry on any activities") and the composite score is the sum of the three) - questions ask about work life, family life and social life.

	Score <5				Absolute decrease of ≥ 5				Score of <10				Absolute decrease of ≥10			
	GH	SR	QOL	SD	GH	SR	QOL	SD	GH	SR	QOL	SD	GH	SR	QOL	SD
≥ 50% decrease from baseline	0.192	0.492	3.45	0.635	0.089	4.79*	0.001	0.606	1.47	1.72	0.061	0.110	0.039	0.168	0.728	0.004
Score <5					0.985	8.52**	9.24**	1.15	4.02*	5.48*	12.39***	0.917	0.068	0.414	6.01*	0.009
Absolute decrease of ≥ 5									0.612	0.114	2.21	0.600	1.37	2.87	0.456	0.529
Score of <10													2.62	2.37	1.49	2.76

p<0.05 (*); p<0.01 (**); p<0.001 (***)

GH - Change in mean general health score (Health Information National Trends Survey - HINTS) question # 1 from baseline to 6 months (scored on a scale of 1-5 with 1 being excellent) - question asks: "In general, would you say your health is:" Excellent, Very Good, Good, Fair, Poor, Don't know, Refuse.

SR - Change in mean Strengths and Resources question # C1 from IMPACT trial follow-up questionnaire from baseline to 6 months (scored on a scale of 0-4) - question asks: "Over the past two weeks, how often have you made an effort to keep in touch with relatives or friends?" - Not at all, Occasionally, Sometimes, Fairly Often, Very Often, Don't know, Refuse.

QOL - Change in mean Quality of Life question # E9 from IMPACT trial follow-up questionnaire from baseline to 6 months (scored on a continuous scale of 1-10) - question asks: "Choose the level that best describes your quality of life during the past month" - 0 (Death) to 10 (Perfect).

SD - Change in mean composite Sheehan Disability Items (questions E17 - E19 from IMPACT trial follow-up questionnaire) from baseline to 6 months (each of the three items is scored on a continuous scale of 1-10 (where 0 is "not at all" and 10 is "unable to carry on any activities") and the composite score is the sum of the three) - questions ask about work life, family life and social life.

Table S4: One-Way RE ANOVA: Rankings at 3 Months										
Org	#Clinics	1	2	3	4	5	6	7	8	9
500	1	41	37	41	41	40	41	40	41	41
510	1	42	42	34	34	41	42	42	42	40
520	1	33	33	40	38	37	40	30	34	38
530	1	35	34	24	25	35	32	39	36	37
540	3	38	39	23	28	33	35	38	38	32
550	1	34	40	30	30	36	38	41	37	33
560	4	31	36	20	22	31	28	37	33	19
570	2	40	28	42	42	42	37	22	35	42
580	12	36	23	38	39	38	30	25	31	39
590	2	12	5	5	3	13	10	18	12	17
600	5	2	8	4	5	2	5	6	3	5
610	2	23	16	27	26	24	16	19	20	31
620	1	1	1	1	1	1	1	3	1	1
630	3	14	12	12	12	16	12	17	15	14
640	8	7	7	10	10	8	7	1	6	10
650	9	9	11	6	7	6	6	15	8	6
660	4	13	13	17	18	12	13	24	14	13
670	9	11	3	15	14	11	9	12	10	16
680	4	24	24	14	17	22	19	26	22	27
690	14	3	10	3	4	3	4	14	4	2
700	1	5	9	11	9	7	8	8	7	21

710	3	16	4	28	27	18	11	16	13	34
720	7	25	26	16	15	25	20	28	23	25
730	2	6	6	2	2	4	2	10	5	3
740	1	26	20	13	13	26	23	33	26	22
750	1	30	31	18	21	30	27	36	32	28
760	1	32	32	32	32	32	26	35	29	29
770	7	17	18	39	40	15	21	2	17	30
780	1	4	2	7	6	5	3	9	2	23
790	3	8	29	19	16	9	25	5	9	4
800	3	37	35	36	36	39	39	32	39	35
810	5	21	27	37	37	20	33	20	24	12
820	4	10	14	9	8	10	14	4	11	7
901	1	39	38	31	33	34	36	34	40	8
902	1	29	22	35	35	29	29	30	27	36
903	1	20	25	8	11	14	15	27	21	20
904	1	15	19	29	29	17	18	7	16	11
905	1	19	17	25	23	21	24	11	19	9
906	1	27	21	33	31	28	31	29	28	18
907	1	18	15	22	20	19	17	13	18	24
908	1	28	41	26	24	27	34	21	30	15
909	1	22	30	21	19	23	22	23	25	26

1 → Reduction in baseline PHQ-9 score of greater than or equal to 50%

2 → An absolute reduction in baseline PHQ-9 score of 5 or greater

3 → PHQ-9 score of less than 10

4 → Reduction in baseline PHQ-9 score of greater than or equal to 50% OR a PHQ-9 score of less than 10

5 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND a PHQ-9 score of less than 10

6 → An absolute reduction in baseline PHQ-9 score of 5 or greater AND a PHQ-9 score of less than 10

7 → An absolute reduction in baseline PHQ-9 score of 10 or greater

8 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND an absolute reduction in baseline PHQ-9 score of 5 or greater

9 → Remission (PHQ-9 score less than 5)

Table S5: One-Way RE ANOVA: Rankings at 6 Months										
Org	#Clinics	1	2	3	4	5	6	7	8	9

500	1	38	40	40	41	37	41	36	39	36
510	1	32	36	24	27	31	37	41	37	34
520	1	20	19	25	21	21	23	18	22	25
530	1	28	30	20	24	25	22	33	27	28
540	3	36	33	22	22	34	31	39	36	22
550	1	30	23	18	23	28	27	31	31	20
560	4	33	38	30	30	36	33	40	32	31
570	2	41	25	38	39	41	34	23	35	41
580	12	31	20	35	34	35	29	21	29	40
590	1	16	24	41	16	15	15	19	16	19
600	5	4	5	6	6	6	2	3	3	7
610	2	21	14	27	28	23	19	14	20	33
620	1	2	3	2	2	2	3	9	2	4
630	3	22	22	16	13	24	12	15	15	18
640	8	8	8	8	7	8	8	4	8	9
650	9	5	10	4	3	3	5	11	6	3
660	4	9	11	23	19	12	14	13	11	15
670	9	7	9	9	8	7	7	7	7	10
680	4	13	12	11	12	13	13	25	13	12
690	13	3	7	5	5	5	6	6	4	2
700	1	11	2	13	17	9	9	8	10	24
710	3	17	4	29	31	18	10	10	9	27
720	6	19	27	14	15	19	20	30	19	17
730	2	1	1	1	1	1	1	2	1	1
740	1	18	26	7	11	11	11	26	21	8
750	1	26	28	15	20	27	21	35	24	30
760	1	34	32	32	33	32	30	37	34	29
770	7	27	13	34	36	22	17	24	23	35
780	1	6	6	3	4	4	4	1	5	5
790	3	35	35	33	35	33	38	27	33	37

800	3	37	37	37	38	38	39	38	40	38
810	5	40	39	39	40	39	40	29	41	26
820	3	25	29	26	26	29	28	20	28	21
901	1	29	34	19	29	20	32	34	30	6
902	1	39	31	36	37	40	35	32	38	39
903	1	14	17	21	18	16	18	22	17	11
904	1	10	16	10	9	10	16	16	12	16
905	1	24	18	31	32	26	26	17	26	32
906	1	12	15	17	14	14	24	5	14	14
907	1	15	21	12	10	17	25	12	18	13
908	1	23	41	28	25	30	36	28	25	23

1 → Reduction in baseline PHQ-9 score of greater than or equal to 50%

2 → An absolute reduction in baseline PHQ-9 score of 5 or greater

3 → PHQ-9 score of less than 10

4 → Reduction in baseline PHQ-9 score of greater than or equal to 50% OR a PHQ-9 score of less than 10

5 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND a PHQ-9 score of less than 10

6 → An absolute reduction in baseline PHQ-9 score of 5 or greater AND a PHQ-9 score of less than 10

7 → An absolute reduction in baseline PHQ-9 score of 10 or greater

8 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND an absolute reduction in baseline PHQ-9 score of 5 or greater

9 → Remission (PHQ-9 score less than 5)

Table S6: One-Way RE ANOVA: Rankings at 12 Months

Org	#Clinics	1	2	3	4	5	6	7	8	9
500	1	30	26	30	30	29	30	27	30	29
510	1	29	23	17	19	28	29	33	31	22
520	1	21	11	31	31	19	10	14	11	32
530	1	26	34	18	22	24	33	24	27	9
540	3	19	31	15	14	20	22	26	22	6
550	1	7	13	5	5	7	6	11	8	16
560	4	28	38	25	26	27	26	36	28	19
570	1	34	35	32	32	35	35	16	35	39
580	11	33	25	35	35	34	31	4	32	37

600	5	6	16	6	6	4	8	5	5	10
610	2	20	10	28	28	23	21	7	18	24
620	1	3	8	2	2	5	4	13	2	11
630	2	22	20	26	27	21	20	31	23	38
640	5	10	9	12	13	9	7	1	9	14
650	9	1	1	1	1	1	1	6	3	1
660	4	12	4	16	20	11	11	18	14	12
670	8	16	14	21	21	17	18	20	17	27
680	3	9	22	14	16	10	17	10	13	7
690	13	4	5	8	9	3	5	9	6	2
700	1	14	7	13	12	15	15	25	15	35
710	2	13	6	33	34	14	9	8	7	30
720	5	23	28	19	17	22	19	29	21	18
730	2	2	3	3	3	2	2	2	1	8
740	1	27	24	24	24	30	23	28	26	31
750	1	32	29	23	25	31	28	35	29	33
760	1	37	36	34	36	36	36	38	34	21
770	5	36	32	36	37	37	37	32	37	28
780	1	5	2	4	4	6	3	3	4	3
790	1	17	17	40	15	16	16	22	16	20
800	3	40	40	38	38	40	40	40	40	40
810	5	39	39	39	40	39	39	37	39	36
820	1	18	18	27	29	18	25	16	19	17
901	1	15	19	7	7	13	13	19	20	4
902	1	35	33	29	33	33	34	39	36	34
903	1	8	15	9	8	8	14	12	10	13
904	1	25	21	20	18	25	24	17	24	15
905	1	31	30	22	23	32	32	30	33	26
906	1	24	27	11	11	26	27	23	25	23
907	1	11	12	10	10	12	12	21	12	5

908	1	38	37	37	39	38	38	34	38	25
-----	---	----	----	----	----	----	----	----	----	----

- 1 → Reduction in baseline PHQ-9 score of greater than or equal to 50%
- 2 → An absolute reduction in baseline PHQ-9 score of 5 or greater
- 3 → PHQ-9 score of less than 10
- 4 → Reduction in baseline PHQ-9 score of greater than or equal to 50% OR a PHQ-9 score of less than 10
- 5 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND a PHQ-9 score of less than 10
- 6 → An absolute reduction in baseline PHQ-9 score of 5 or greater AND a PHQ-9 score of less than 10
- 7 → An absolute reduction in baseline PHQ-9 score of 10 or greater
- 8 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND an absolute reduction in baseline PHQ-9 score of 5 or greater
- 9 → Remission (PHQ-9 score less than 5)

Table S7: Sample Means: Rankings at 3 Months										
Org	#Clinics	1	2	3	4	5	6	7	8	9
500	1	42	38	42	42	42	42	41	42	42
510	1	41	39	33	34	41	41	42	41	41
520	1	37	34	40	40	40	40	30	37	39
530	1	36	33	21	24	36	32	39	36	34
540	3	39	36	26	28	37	35	37	39	29
550	1	38	37	28	27	38	38	40	38	31
560	4	29	31	22	21	26	28	38	30	24
570	2	22	3	34	32	22	12	16	15	30
580	12	35	22	38	36	35	26	25	27	40
590	2	10	2	2	2	12	4	12	8	11
600	5	2	14	3	4	2	5	19	4	4
610	2	23	18	27	26	23	17	24	23	28
620	1	1	5	1	1	1	1	8	2	1
630	3	8	4	5	5	10	14	5	7	7
640	8	7	7	13	14	3	11	4	5	17
650	9	12	11	7	8	9	6	21	11	8
660	4	20	16	20	22	19	16	22	18	20
670	9	15	12	18	16	17	10	11	16	21
680	4	14	24	17	18	13	20	33	14	12
690	14	11	15	6	6	11	9	18	12	5

700	1	5	8	12	12	6	8	13	9	19
710	3	16	9	32	31	18	13	7	13	36
720	7	27	35	25	23	25	31	32	25	16
730	2	9	1	10	9	7	3	2	1	37
740	1	26	21	11	11	30	24	35	28	22
750	1	31	30	16	19	28	29	34	33	26
760	1	33	32	29	30	33	25	31	31	27
770	7	17	20	41	41	16	27	3	19	32
780	1	4	6	9	7	4	2	14	3	23
790	3	6	29	14	13	8	21	6	10	3
800	3	34	27	37	37	34	36	26	34	35
810	5	24	23	39	39	24	33	20	24	14
820	4	3	13	4	3	5	7	15	6	6
901	1	40	40	30	35	39	39	36	40	9
902	1	32	26	36	38	32	30	30	26	38
903	1	21	28	8	10	15	15	28	22	18
904	1	13	17	35	33	14	19	1	17	2
905	1	19	19	24	20	21	22	10	21	10
906	1	28	25	31	29	27	34	27	32	15
907	1	18	10	19	17	20	18	9	20	25
908	1	30	41	23	25	30	37	23	35	13
909	1	26	42	15	15	30	24	17	28	33

1 → Reduction in baseline PHQ-9 score of greater than or equal to 50%

2 → An absolute reduction in baseline PHQ-9 score of 5 or greater

3 → PHQ-9 score of less than 10

4 → Reduction in baseline PHQ-9 score of greater than or equal to 50% OR a PHQ-9 score of less than 10

5 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND a PHQ-9 score of less than 10

6 → An absolute reduction in baseline PHQ-9 score of 5 or greater AND a PHQ-9 score of less than 10

7 → An absolute reduction in baseline PHQ-9 score of 10 or greater

8 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND an absolute reduction in baseline PHQ-9 score of 5 or greater

9 → Remission (PHQ-9 score less than 5)

Table S8: Sample Means: Rankings at 6 Months

Org	#Clinics	1	2	3	4	5	6	7	8	9
500	1	41	40	40	40	41	40	40	41	40
510	1	33	36	23	25	34	35	41	37	33
520	1	20	24	25	17	25	22	21	25	31
530	1	27	29	20	21	27	20	32	28	27
540	3	36	35	22	22	35	30	37	36	24
550	1	30	26	17	19	29	26	33	31	20
560	4	19	28	26	23	24	21	28	20	25
570	2	37	23	36	35	37	31	10	32	36
580	12	29	19	32	30	32	24	23	26	38
590	1	1	41	41	41	1	41	1	1	1
600	5	5	15	5	4	5	4	13	4	5
610	2	24	17	27	26	26	17	22	23	30
620	1	4	3	1	2	4	3	12	5	2
630	3	10	16	21	20	13	18	8	9	10
640	8	21	7	29	29	18	11	24	13	17
650	9	9	11	4	6	8	6	20	10	7
660	4	16	12	24	18	19	13	17	14	23
670	9	11	9	19	15	12	8	15	11	19
680	4	8	5	10	9	9	12	14	8	11
690	13	7	8	7	5	7	5	11	7	9
700	1	12	2	9	14	14	7	9	12	29
710	3	38	4	38	38	38	33	4	15	37
720	6	32	31	11	27	11	15	39	33	15
730	2	2	1	12	13	2	1	2	2	13
740	1	18	30	6	7	10	9	27	24	3
750	1	26	27	14	16	28	19	31	27	26
760	1	34	33	30	32	33	29	36	35	28
770	7	23	10	34	36	21	28	18	21	34
780	1	6	6	3	3	6	2	3	6	6

790	3	22	18	33	33	23	39	16	22	32
800	3	35	32	39	37	36	37	34	38	39
810	5	39	38	37	39	39	38	30	40	22
820	3	17	21	13	11	20	16	26	19	18
901	1	31	37	16	28	22	32	38	34	4
902	1	40	34	35	34	40	34	35	39	41
903	1	14	20	18	12	16	14	25	16	12
904	1	3	14	2	1	3	10	6	3	8
905	1	28	22	31	31	30	27	19	30	35
906	1	14	14	15	10	16	22	7	16	16
907	1	15	25	8	8	17	25	5	18	14
908	1	25	39	28	24	31	36	29	29	21

1 → Reduction in baseline PHQ-9 score of greater than or equal to 50%

2 → An absolute reduction in baseline PHQ-9 score of 5 or greater

3 → PHQ-9 score of less than 10

4 → Reduction in baseline PHQ-9 score of greater than or equal to 50% OR a PHQ-9 score of less than 10

5 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND a PHQ-9 score of less than 10

6 → An absolute reduction in baseline PHQ-9 score of 5 or greater AND a PHQ-9 score of less than 10

7 → An absolute reduction in baseline PHQ-9 score of 10 or greater

8 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND an absolute reduction in baseline PHQ-9 score of 5 or greater

9 → Remission (PHQ-9 score less than 5)

Table S9: Sample Means: Rankings at 12 Months

Org	#Clinics	1	2	3	4	5	6	7	8	9
500	1	35	30	33	33	36	32	29	36	36
510	1	27	22	15	16	27	24	32	30	21
520	1	12	2	38	38	16	39	2	2	39
530	1	24	34	18	18	21	27	21	25	12
540	3	22	32	16	14	25	21	23	23	10
550	1	6	12	2	2	6	4	10	8	15
560	4	10	7	25	25	9	25	36	10	7
570	1	40	40	35	34	40	37	8	40	40
580	11	29	25	30	29	30	29	12	29	30

600	5	8	16	8	8	7	7	11	9	9
610	2	19	13	24	23	20	16	16	19	23
620	1	4	8	1	1	4	3	13	4	14
630	2	20	19	27	26	22	18	35	21	38
640	5	32	26	14	24	12	10	28	27	16
650	9	16	18	9	9	13	12	24	15	19
660	4	28	27	28	30	28	23	34	31	32
670	8	18	17	19	17	19	14	18	17	29
680	3	15	23	17	15	17	15	17	16	18
690	13	11	11	10	11	10	6	15	12	17
700	1	14	10	12	12	18	13	22	14	35
710	2	5	4	36	35	5	8	5	5	11
720	5	23	20	21	22	24	17	30	20	26
730	2	2	3	4	5	2	1	4	3	5
740	1	30	24	22	20	32	19	25	24	33
750	1	26	29	20	21	29	20	26	28	28
760	1	36	36	31	31	35	33	39	35	20
770	5	39	34	38	38	39	38	38	39	27
780	1	7	5	5	4	8	2	6	7	4
790	1	1	2	40	40	1	40	2	2	2
800	3	25	39	32	32	26	36	27	26	34
810	5	37	37	37	37	37	34	40	37	37
820	1	12	14	29	27	16	27	8	13	12
901	1	17	21	6	7	14	11	19	18	6
902	1	34	31	26	28	33	30	38	34	31
903	1	3	9	3	3	3	8	7	6	8
904	1	30	14	13	13	32	27	2	32	2
905	1	33	35	22	20	34	31	31	33	25
906	1	21	28	11	10	23	22	20	22	22
907	1	9	6	7	6	11	5	14	11	2

908	1	38	38	34	36	38	35	33	38	24
-----	---	----	----	----	----	----	----	----	----	----

- 1 → Reduction in baseline PHQ-9 score of greater than or equal to 50%
- 2 → An absolute reduction in baseline PHQ-9 score of 5 or greater
- 3 → PHQ-9 score of less than 10
- 4 → Reduction in baseline PHQ-9 score of greater than or equal to 50% OR a PHQ-9 score of less than 10
- 5 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND a PHQ-9 score of less than 10
- 6 → An absolute reduction in baseline PHQ-9 score of 5 or greater AND a PHQ-9 score of less than 10
- 7 → An absolute reduction in baseline PHQ-9 score of 10 or greater
- 8 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND an absolute reduction in baseline PHQ-9 score of 5 or greater
- 9 → Remission (PHQ-9 score less than 5)

Figure S1: Multilevel Logistic Regression Model - 3 Months





Figure S3: Sample Means - 3 Months



- 1 → Reduction in baseline PHQ-9 score of greater than or equal to 50%
- 2 → An absolute reduction in baseline PHQ-9 score of 5 or greater
- 3 → PHQ-9 score of less than 10
- 4 → Reduction in baseline PHQ-9 score of greater than or equal to 50% OR a PHQ-9 score of less than 10
- 5 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND a PHQ-9 score of less than 10
- 6 → An absolute reduction in baseline PHQ-9 score of 5 or greater AND a PHQ-9 score of less than 10
- 7 → An absolute reduction in baseline PHQ-9 score of 10 or greater
- 8 → Reduction in baseline PHQ-9 score of greater than or equal to 50% AND an absolute reduction in baseline PHQ-9 score of 5 or greater
- 9 → Remission (PHQ-9 score less than 5)